

Amendment to the Claims

Please cancel claims 8, 15, 31, 54, 58, and 65 without prejudice.

This listing of claims will replace all prior versions, and listings, of claims in the above-captioned application:

Listing of the Claims:

1. (currently amended): A method of configuring an Financial Service Organization (FSO) production system, comprising:
 - constructing a multilevel processing relationship object structure representing processing relationships among two or more business entities of the Financial Service Organization (FSO), wherein constructing the multilevel processing relationship object structure comprises:
 - displaying ~~one two~~ or more processing relationship object representations on a display screen in data communication with a ~~Financial Service Organization (FSO)~~ computer system comprising a database;
 - selecting ~~one two~~ or more of the processing relationship object representations from the displayed processing relationship object representations; and
 - preparing a processing relationship definition for at least two of the selected ~~one two~~ or more processing relationship object representations, wherein preparing the processing relationship definitions comprises:
 - creating a highest level processing relationship object representing the FSO;
 - creating two or more lower level processing relationship objects descending from the highest level processing relationship object, wherein at least one of the two or more lower level processing relationship objects represents a business entity; and
 - specifying values for two or more of the processing relationship objects, wherein the values for each of the lower level processing relationship objects

comprises a level identifier, wherein the level identifier identifies a level of the lower level processing relationship object in the multilevel processing relationship object structure;

and

storing at least two of the processing relationship definitions in the database, wherein the at least two processing relationship definitions stored in the database are configured for use in preparing a processing relationship value from an ~~Financial Service Organization~~ (FSO) transaction-related data in the FSO computer system.

2. (cancelled)

3. (previously presented) The method of claim 1, wherein the processing relationship value is configured for use in identifying an FSO business entity as an owner of the FSO transaction-related data.

4. (previously presented) The method of claim 3, wherein the FSO business entity is an FSO company or an FSO business unit or a bank branch office or a regional bank or a credit card line or an issuer or an acquirer.

5. (original) The method of claim 1, wherein the selecting one or more processing relationship object representations is performed by a user of the FSO computer system.

6. (original) The method of claim 1, wherein the selecting one or more processing relationship object representations is programmable or executable by an expert system.

7. (original) The method of claim 1, wherein the storing the processing relationship definition in the database comprises transferring the processing relationship definition to a report record definition stored in the database.

8. (cancelled)

9. (currently amended) The method of claim 8, ~~wherein further comprising expanding the~~ processing relationship structure ~~is expanded~~ by inserting one or more processing relationship objects as descendants of the highest level processing relationship object.

10. (currently amended) The method of claim 8, ~~wherein further comprising editing the~~ processing relationship structure ~~is edited~~ by inserting or deleting one or more processing relationship objects, wherein each of the one or more processing relationship objects are descendants of the highest level processing relationship object.

11. (previously presented) The method of claim 1, wherein the displaying one or more processing relationship object representations on a display screen comprises displaying values associated with a sequence number and a level number.

12. (currently amended) The method of claim 11, wherein the level identifier comprises a level number ~~identifies a level in a hierarchical tree~~.

13. (original) The method of claim 1, wherein the displaying one or more processing relationship object representations on a display screen comprises displaying values associated with an object name, an object description and an object number for a displayed processing relationship object.

14. (original) The method of claim 13, wherein the object name identifies a unique name assigned to an object.

15. (cancelled)

16. (original) The method of claim 1, wherein the selecting a first processing relationship object representation from one or more processing relationship object representations comprises

positioning a cursor of an user input device above the first processing relationship object representation and clicking a button of the user input device.

17. (currently amended) The method of claim 1, wherein ~~the preparing the a~~ processing relationship definitions comprises creating or editing an object associated with each of the selected processing relationship object representations.

18. (original) The method of claim 17, wherein the creating the object comprises identifying a unique object identifier and identifying values for the object properties.

19. (previously presented) The method of claim 1, wherein the preparing a processing relationship definition comprises identifying one or more methods and one or more properties of an object associated with each of the selected processing relationship object representation.

20. (currently amended) The method of claim 1, wherein at least two of the two or more lower level processing relationship objects ~~representations comprises a class of objects representing~~ an FSO company or an FSO business unit or a bank branch office or a regional bank or a credit card line or an issuer or an acquirer.

21. (original) The method of claim 1, wherein the processing relationship object representations comprises an icon displayed on the display screen of the FSO computer system.

22. (original) The method of claim 1, wherein a user of the FSO computer system executes a processing relationship configuration program to prepare the processing relationship definition.

23. (original) The method of claim 1, wherein the user of FSO computer system executes a processing relationship configuration program to reconfigure and store in the database the processing relationship definition in response to changing business conditions.

24. (currently amended) A system for processing Financial Service Organization (FSO)

transactions, the system comprising:

a computer program;

a computer system;

wherein the computer program is executable on the computer system to execute:

constructing a multilevel processing relationship object structure representing processing

relationships among two or more business entities of the Financial Service

Organization (FSO), wherein constructing the multilevel processing relationship

object structure comprises:

displaying ~~one~~ two or more processing relationship object representations on a

display screen in data communication with a ~~Financial Service Organization~~

(FSO) computer system comprising a database;

selecting ~~one~~ two or more of the processing relationship object representations from

the displayed processing relationship object representations; and

preparing a processing relationship definition for at least two of the selected ~~one~~ two

or more processing relationship object representations, wherein preparing the

processing relationship definitions comprises:

creating a highest level processing relationship object representing the FSO;

creating two or more lower level processing relationship objects descending

from the highest level processing relationship object, wherein at least one

of the two or more lower level processing relationship objects represents a

business entity; and

specifying values for two or more of the processing relationship objects,

wherein the values for each of the lower level processing relationship

objects comprises a level identifier, wherein the level identifier identifies a

level of the lower level processing relationship object in the multilevel

processing relationship object structure; and

storing at least two of the processing relationship definitions in the database, wherein at

least two of the processing relationship definitions stored in the database are

configured for use in preparing a processing relationship value from an ~~Financial~~

~~Service Organization~~ (FSO) transaction-related data in the FSO computer system.

25. (cancelled)

26. (currently amended) The system of claim 24, wherein the processing relationship value is configured for use in identifying an FSO business entity as an owner of the FSO transaction-related data.

27. (original) The system of claim 26, wherein the FSO business entity is an FSO company or an FSO business unit or a bank branch office or a regional bank or a credit card line or an issuer or an acquirer.

28. (original) The system of claim 24, wherein the selecting one or more processing relationship object representations is performed by a user of the FSO computer system.

29. (original) The system of claim 24, wherein the selecting one or more processing relationship object representations is programmable or executable by an expert system.

30. (original) The system of claim 24, wherein the storing the processing relationship definition in the database comprises transferring the processing relationship definition to a report record definition stored in the database.

31. (cancelled)

32. (original) The system of claim 31, wherein the processing relationship structure is expanded by inserting one or more processing relationship objects as descendents of the highest level processing relationship object.

33. (original) The system of claim 31, wherein the processing relationship structure is edited by inserting or deleting one or more processing relationship objects, wherein each of the one or more processing relationship objects are descendents of the highest level processing relationship

object.

34. (original) The system of claim 24, wherein the displaying one or more processing relationship object representations on a display screen comprises displaying values associated with a sequence number and a level number.

35. (currently amended) The system of claim 34, wherein the level identifier comprises a level number ~~identifies a level in a hierarchical tree~~.

36. (original) The system of claim 24, wherein the displaying one or more processing relationship object representations on a display screen comprises displaying values associated with an object name, an object description and an object number for a displayed processing relationship object.

37. (original) The system of claim 36, wherein the object name identifies a unique name assigned to an object.

38. (original) The system of claim 24, wherein the database is relational or object oriented.

39. (original) The system of claim 24, wherein the selecting a first processing relationship object representation from one or more processing relationship object representations comprises positioning a cursor of an user input device above the first processing relationship object representation and clicking a button of the user input device.

40. (currently amended) The system of claim 24, wherein ~~the~~ preparing a the processing relationship definitions comprises creating or editing an object associated with each of the selected processing relationship object representations.

41. (original) The system of claim 40, wherein the creating the object comprises identifying a unique object identifier and identifying values for the object properties.

42. (currently amended) The system of claim 24, wherein ~~the~~ preparing a processing relationship definition comprises identifying one or more methods and one or more properties of an object associated with each of the selected processing relationship object representations.

43. (currently amended) The system of claim 24, wherein at least two of the two or more lower level processing relationship objects ~~representations comprises a class of objects~~ representing an FSO company or an FSO business unit or a bank branch office or a regional bank or a credit card line or an issuer or an acquirer.

44. (original) The system of claim 24, wherein the processing relationship object representations comprises an icon displayed on the display screen of the FSO computer system.

45. (original) The system of claim 24, wherein a user of the FSO computer system executes a processing relationship configuration program to prepare the processing relationship definition.

46. (original) The system of claim 24, wherein the user of FSO computer system executes a processing relationship configuration program to reconfigure and store in the database the processing relationship definition in response to changing business conditions.

47. (original) The system of claim 24, wherein the computer system comprises a display device coupled to the computer system to display data.

48. (original) The system of claim 47, wherein the display device is a display screen.

49. (original) The system of claim 24, wherein the computer system comprises a user input device coupled to the computer system to enter data.

50. (original) The system of claim 49, wherein the user input device is a mouse or a keyboard.

51. (currently amended) A carrier medium comprising program instructions, wherein the program instructions are executable by a computer system to implement:

constructing a multilevel processing relationship object structure representing processing relationships among two or more business entities of the Financial Service Organization (FSO), wherein constructing the multilevel processing relationship object structure comprises:

displaying ~~one~~ two or more processing relationship object representations on a display screen in data communication with a ~~Financial Service Organization (FSO)~~ computer system comprising a database;

selecting ~~one~~ two or more of the processing relationship object representations from the displayed processing relationship object representations; and

preparing a processing relationship definition for at least two of the selected ~~one~~ two or more processing relationship object representations, wherein preparing the processing relationship definitions comprises:

creating a highest level processing relationship object representing the FSO;

creating two or more lower level processing relationship objects descending from the highest level processing relationship object, wherein at least one of the two or more lower level processing relationship objects represents a business entity; and

specifying values for two or more of the processing relationship objects, wherein the values for each of the lower level processing relationship objects comprises a level identifier, wherein the level identifier identifies a level of the lower level processing relationship object in the multilevel processing relationship object structure; and

storing at least two of the processing relationship definitions in the database, wherein at least two of the processing relationship definitions stored in the database are configured for use in preparing a processing relationship value from ~~an~~ Financial Service Organization (FSO) transaction-related data in the FSO computer system.

52. (cancelled)

53. (previously presented) The carrier medium of claim 51, wherein the processing relationship value is configured for use in identifying an FSO business entity as an owner of the FSO transaction-related data.

54. (cancelled)

55. (original) The carrier medium of claim 51, wherein the selecting one or more processing relationship object representations is performed by a user of the FSO computer system.

56. (original) The carrier medium of claim 51, wherein the selecting one or more processing relationship object representations is programmable or executable by an expert system.

57. (original) The carrier medium of claim 51, wherein the storing the processing relationship definition in the database comprises transferring the processing relationship definition to a report record definition stored in the database.

58. (cancelled)

59. (original) The carrier medium of claim 58, wherein the processing relationship structure is expanded by inserting one or more processing relationship objects as descendents of the highest level processing relationship object.

60. (original) The carrier medium of claim 58, wherein the processing relationship structure is edited by inserting or deleting one or more processing relationship objects, wherein each of the one or more processing relationship objects are descendents of the highest level processing relationship object.

61. (original) The carrier medium of claim 51, wherein the displaying one or more processing relationship object representations on a display screen comprises displaying values associated

with a sequence number and a level number.

62. (currently amended) The carrier medium of claim 61, wherein the level identifier comprises a level number ~~identifies a level in a hierarchical tree.~~

63. (original) The carrier medium of claim 51, wherein the displaying one or more processing relationship object representations on a display screen comprises displaying values associated with an object name, an object description and an object number for a displayed processing relationship object.

64. (original) The carrier medium of claim 63, wherein the object name identifies a unique name assigned to an object.

65. (cancelled)

66. (original) The carrier medium of claim 51, wherein the selecting a first processing relationship object representation from one or more processing relationship object representations comprises positioning a cursor of an user input device above the first processing relationship object representation and clicking a button of the user input device.

67. (original) The carrier medium of claim 51, wherein the preparing a processing relationship definition comprises creating or editing an object associated with each of the selected processing relationship object representation.

68. (original) The carrier medium of claim 67, wherein the creating the object comprises identifying a unique object identifier and identifying values for the object properties.

69. (currently amended) The carrier medium of claim 51, wherein ~~the preparing a~~ the processing relationship definitions comprises identifying one or more methods and one or more properties of an object associated with each of the selected processing relationship object representations.

70. (currently amended) The carrier medium of claim 51, wherein at least two of the two or more lower level processing relationship object representations ~~comprises a class of objects~~ representing an FSO company or an FSO business unit or a bank branch office or a regional bank or a credit card line or an issuer or an acquirer.

71. (original) The carrier medium of claim 51, wherein the processing relationship object representations comprises an icon displayed on the display screen of the FSO computer system.

72. (original) The carrier medium of claim 51, wherein a user of the FSO computer system executes a processing relationship configuration program to prepare the processing relationship definition.

73. (original) The carrier medium of claim 51, wherein the user of FSO computer system executes a processing relationship configuration program to reconfigure and store in the database the processing relationship definition in response to changing business conditions.

74-581 (cancelled)

582. (new) The method of claim 1, wherein the multilevel processing object structure comprises a first lower level, wherein at least two of the lower level processing relationship objects represent business entities at the first lower level.

583. (new) The method of claim 1, wherein the multilevel processing object structure comprises a first lower level, wherein at least two of the lower level processing relationship objects represent physical entities at the first lower level.

584. (new) The method of claim 1, wherein the multilevel processing object structure comprises a first lower level, wherein at least two of the lower level processing relationship objects represent different business functions at the first lower level.

585. (new) The method of claim 1, wherein the multilevel processing object structure comprises a first lower level, wherein at least one of the lower level processing relationship objects represents an issuer at the first lower level and at least one of the lower level processing relationship objects represents an acquirer at the first lower level.

586. (new) The method of claim 585, wherein the first lower level is one level below the highest level processing relationship object.

587. (new) The method of claim 1, wherein the multilevel processing object structure comprises a first lower level descending from the highest level and a second lower level descending from the first lower level, wherein at least one of the lower level processing relationship objects represents an issuer at the first lower level and at least one of the lower level processing relationship objects represents an FSO company at the second lower level.